

ISUZU D-MAX TIPPER CONVERSION



Designed to meet the needs of professionals looking for a robust and practical conversion that's capable off-road. The tipper conversion combines all the essential workhorse features of the Utility Extended Cab with the practicality of a durable and lightweight tipper body – a great solution for our hard-working customers.





The tipper conversion is available on used Utility Extended Cabs only and is fitted post registration.

SPECIFICATION:

The tipper conversion incorporates the following equipment:

- 18mm alloy 'Tippadek' with heavy duty interlocking floor system
- 300mm high alloy anodised drop sideboards with recessed spring catches
- 300mm high alloy anodised tailboard with 2-way hinge assembly and rubber stops
- Heavy duty removable corner posts
- Heavy duty underfloor tie points
- Electro-hydraulic power pack with thermoplastic oil reservoir
- Direct lift underfloor ram
- Fully galvanised steel subframes and tipping gear
- Integral body prop
- Hose burst safety valve
- Rubber moulded body rests
- Wander lead control complete with 'body up' warning light
- Dual tone audible warning buzzer
- Black coated tubular gantry with cab protection infill panel and 'Isuzu' logo.
- Ladder stops on gantry crossbar
- Rear lighting shroud fitted with recessed regulation light clusters
- Safety decals
- Colour instruction manual

PRACTICAL. DURABLE. CAPABLE.



LOADS OF SPACE

The load bed is very accommodating, measuring 1,977mm long by 1,800mm wide, and the rugged 'Tippadek' bed is constructed using 18mm thick interlocking alloy floor panels. Loads are kept secure thanks to 300mm high sideboards and tailboard, which are made from lightweight alloy.

The tailboard opens to 180° and features a 2-way hinge assembly meaning it can be opened from both the top and bottom.

Plus:

- Rubber buffer stops protect the body from the tailboard
- Heavy-duty underfloor tie points secure loads
- Recessed spring latches on the sideboards avoid catching on objects
- Removable corner posts provide an open platform



3.5 TONNE TOWING CAPACITY* EURO 6 COMPLIANT NO ADBLUE OVER 40 MPG COMBINED[#]



*3.5 tonne towing applies to all 4x4 models. #Over 40 MPG figure applies to manual transmission model. MPG figures are official EU test figures for comparative purposes and may not reflect real driving results. Official fuel figures for the Isuzu D-Max range in MPG (I/100km): Urban 30.4 - 38.7 (9.3 - 7.3). Extra Urban 40.9 - 50.4 (6.9 - 5.6). Combined 36.2 - 45.6 (7.8 - 6.2). CO2 emissions 163 - 205g/km. These may differ on the Isuzu D-Max Tipper conversion version.

The tipper conversion is available on used Utility Extended Cabs only and is fitted post registration. Prices will be based on the cost of the specific used Utility Extended Cab purchased plus the retail conversion price of £3,995 plus VAT, which includes delivery. For full details please contact your local Isuzu dealer or visit isuzu.co.uk





LOADS OF PROTECTION

A black powder-coated tubular gantry shields the cab and as the Isuzu D-Max Utility has a heated rear screen as standard, the protection panel has been finished with a laser cut square design to ensure clear visibility when reversing.



LOADS OF STRENGTH

An electro-hydraulic power pack activated by a wander lead control lifts the tipper body.

There's also an integral body prop and hose burst safety valve to stop the body from falling unexpectedly.

The tipping gear and subframe have been fully galvanised for protection and rubber moulded body rests prevent the tipper body striking the frame when the vehicle is in motion.





THE AWARD WINNING ISUZU D-MAX BUSINESS RANGE

ISUZU

DAAX

isuzu.co.uk


THE AWARD WINNING ISUZU D-MAX BUSINESS RANGE


Practical, reliable and tough; the perfect choice for when the emphasis is on getting the job done.

Powered by a Euro 6 turbo diesel engine and with the choice of three cab configurations, you can comfortably get through the day – day after day. And if you think all-wheel drive is a luxury you don't need, we have a 4x2 option that works for you.

It's for professionals who need a workhorse, not a show pony.







#Over 40 MPG figure applies to all models. MPG figures are official EU test figures for comparative purposes and may not reflect real driving results. Official fuel figures for the Isuzu D-Max Business manual range in MPG (l/100km): Urban 37.2-38.7 (7.6-7.3); Extra Urban 42.8-50.4 (6.6-5.6); Combined 40.4-45.6 (7.0-6.2); CO₂ Emissions 163-183 g/km. For full details please contact your local Isuzu dealer or visit isuzu.co.uk *3.5 tonne towing applies to all 4x4 models. **125,000 miles/5 year (whichever comes first) warranty applies to all new Isuzu D-Max models. Terms and conditions apply. Visit isuzu.co.uk

THE PRACTICAL SOLUTION



NO ADBLUE

Unlike other diesel pick-ups that require the addition of AdBlue, the Isuzu engine is capable of over 40.4 MPG combined, whist meeting Euro 6 emissions standards without the need for AdBlue. This vehicle not only saves you money, but is the perfect pick-up for your business.



PULLING, PAYLOAD & TRAILER SWAY CONTROL

With a maximum payload up to 1,141kg on the Double Cab variant, and a 3.5 tonne towing capacity^{*} the Isuzu D-Max is no burden to your working day. On all 4x4 models, trailer sway control uses sensors to detect the onset of trailer swing and reduces vehicle speed if sway is identified.

N/S LIMITS

NO SPEED LIMITS

Compared to some heavier pick-ups that exceed the legal 2,040kgs, the Isuzu D-Max Double Cab which has an unladen weight of 1,909kg is not affected by commercial vehicle speed limits (10mph slower on both dual and single carriageways). With this in mind, the Isuzu range continues to offer all of the powers and capabilities of a dual purpose vehicle, without the restrictions.



SAFETY

At Isuzu, safety is our priority and the Isuzu D-Max range reaps the benefits of this policy. The tough cabin structure, front, side and curtain airbag, pre-tensioning seatbelts and ISOFIX are all included to offer even more protection. All Isuzu models come with LED daytime running lights which improve light distribution and visibility.



BRAKE OVERRIDE SYSTEM

Designed to work if the accelerator and brake pedals are accidentally pressed simultaneously. Engine power will be cut and only the brakes will be applied instead.

HILL START ASSIST & HILL DESCENT CONTROL

Stay in control with two systems that help negotiate hills smoothly and safely. The Hill Start Assist function applies the brakes for 1 to 2 seconds while the driver moves from the brake to the accelerator pedal, preventing the pick-up from rolling back on a hill start. Hill Descent Control is a system that controls the brakes to maintain a consistent, low speed when descending steep, slippery slopes, allowing the driver to concentrate on steering.

5 YEARS PEACE OF MIND

All Isuzu D-Max models benefit from a 5 year/125,000 mile warranty and 5 year roadside assistance across UK and Europe.



4x2 SINGLE CAB

The Isuzu D-Max 4x2 Single Cab comes with the following specification.

EXTERIOR

- Projector Headlights
- LED Daytime Running Lights
- Grey Radiator Grille
- Black Door Mirrors and Door Handles

COMFORT & CONVENIENCE

- Front Power Windows
- Remote Control Central Locking
- Height Adjustable Steering Wheel
- Two 12-Volt Power Outlets
- Manual Air Conditioning

WHEELS

- 15" Steel Wheels
- Full Size Spare Wheel Steel¹

INTERIOR

- Cloth Upholstery
- Height Adjustable Front Headrests
- Front Centre Armrest
- Front Cup Holders
- Vinyl Floor Covering

SAFETY & SECURITY

- ABS, ESC & EBD
- Brake Assist System
- Hill Start Assist & Hill Descent Control
- Insurance Approved Immobiliser
- Front, Side & Curtain SRS Airbags²

ENTERTAINMENT

- Bluetooth[®] Connectivity
- RDS Radio
- Two Door Mounted Speakers
- Front USB Port





¹No cost option. ²SRS: Supplemental Restraint System. Must be used in conjunction with seatbelts.







4x4 SINGLE CAB

The Isuzu D-Max 4x4 Single Cab comes with the following specification.

EXTERIOR

- Projector Headlights
- LED Daytime Running Lights
- Grey Radiator Grille
- Black Door Mirrors and Door Handles

COMFORT & CONVENIENCE

- Front Power Windows
- Remote Control Central Locking
- Height Adjustable Steering Wheel
- Two 12-Volt Power Outlets
- Manual Air Conditioning

WHEELS

- 16" Steel Wheels
- Full Size Spare Wheel Steel¹

INTERIOR

- Cloth Upholstery
- Height Adjustable Front Headrests
- Front Centre Armrest
- Front Cup Holders
- Vinyl Floor Covering


SAFETY & SECURITY

- ABS, ESC & EBD
- Brake Assist System
- Hill Start Assist & Hill Descent Control
- Insurance Approved Immobiliser
- Front, Side & Curtain SRS Airbags²
- Trailer Sway Control

ENTERTAINMENT

- Bluetooth[®] Connectivity
- RDS Radio
- Two Door Mounted Speakers
- Front USB Port







4x4 EXTENDED CAB

The Isuzu D-Max 4x4 Extended Cab comes with the following specification.

EXTERIOR

- Projector Headlights
- LED Daytime Running Lights
- Grey Radiator Grille
- Heated Black Door Mirrors
- Heated Rear Screen
- Black Door Handles
- Lockable Tailgate

WHEELS

- 16" Steel Wheels
- Full Size Spare Wheel Steel¹

INTERIOR

- Cloth Upholstery
- Height Adjustable Front Headrests
- Height Adjustable Driver's Seat (Manual)
- Front Centre Armrest
- Front Cup Holders
- Vinyl Floor Covering
- Under Seat Base Storage

COMFORT & CONVENIENCE

- Front Power Windows
- Remote Control Central Locking
- Height Adjustable Steering Wheel
- Two 12-Volt Power Outlets
- Manual Air Conditioning

SAFETY & SECURITY


- ABS, ESC & EBD
- Brake Assist System
- Hill Start Assist & Hill Descent Control
- Insurance Approved Immobiliser
- Front, Side & Curtain SRS Airbags²
- Trailer Sway Control
- 2 x Three-Point Rear Seatbelts

ENTERTAINMENT

- Bluetooth[®] Connectivity
- RDS Radio
- Two Door Mounted Speakers
- Front USB Port







4x4 DOUBLE CAB

The Isuzu D-Max 4x4 Double Cab comes with the following specification.

EXTERIOR

- Projector Headlights
- LED Daytime Running Lights
- Rear Fog Lights
- Grey Radiator Grille
- Heated Black Door Mirrors
- Heated Rear Screen
- Black Door Handles
- Lockable Tailgate

WHEELS

- 16" Steel Wheels
- Full Size Spare Wheel Steel¹

INTERIOR

- Cloth Upholstery
- Flat Folding Rear Seats
- Height Adjustable Front & Rear Headrests
- Height Adjustable Driver's Seat (Manual)
- Front Centre Armrest
- Front Cup Holders
- Vinyl Floor Covering
- Under Seat Base Storage

COMFORT & CONVENIENCE

- Front & Rear Power Windows
- Remote Control Central Locking
- Two 12-Volt Power Outlets
- Manual Air Conditioning

SAFETY & SECURITY

- ABS, ESC & EBD
- Brake Assist System
- Hill Start Assist & Hill Descent Control
- \bullet Front, Side & Curtain SRS Airbags^2
- ISOFIX Child Seat Anchors with Top Tether Anchors (2 x Rear Side)
- Rear Door Child Locks
- Insurance Approved Immobiliser

ENTERTAINMENT

- Bluetooth[®] Connectivity
- RDS Radio
- Two Door Mounted Speakers
- Front USB Port

¹No cost option. ²SRS: Supplemental Restraint System. Must be used in conjunction with seatbelts.



COLOURS





VEHICLE SPECIFICATION

	SINGLE CAB	SINGLE CAB	EXT CAB	DOUBLE CAB
	4X2	4X4	4X4	4X4
EXTERIOR				
Projector Headlights				
LED Daytime Running Lights				
Rear Fog Lights				
Grey Radiator Grille				
Black Rear Bumper				
Black Door Mirrors			-	-
Heated Black Door Mirrors	-	-		
Black Door Handles				
Heated Rear Screen	-	-		
Integrated Fuel Filler Cap				
WHEELS				
15" Steel Wheels				
16" Steel Wheels	-			
Full Size Spare Wheel - Steel		-	-	-
Tall Size Spare Wheel - Sleet				
INTERIOR				
Cloth Upholstery				
Height Adjustable Driver's Seat (Manual)	-	-		
Front Seatback Map Pockets	-	-		
Flat Folding Rear Seats	-	-	-	
60/40 Folding Seat Base	-	-	-	
Under Seat Base Storage	-	-		
Height Adjustable Front Headrests				
Height Adjustable Rear Headrests	-	-	-	
Front Centre Armrest				
Front Cup Holders (Centre Console & Dash - Driver & Passenger Sides)				
Front Door Pockets with Bottle Holder				
Rear Door Pockets with Bottle Holder	-		-	
	-	-	-	-
Vinyl Floor Covering				
Driver's Foot Rest				

4X24X44X44X4COMFORT & CONVENIENCEIIIPower Windows (Front & Rear)"IIIIRemote Control Central LockingIIIIDriver X Bassenger Sun VisorsIIIIIHeight Adjustable Steering WheelIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII					
COMPORT & CONVENIENCE Power Windows (Front Only) ¹¹ - - <t< th=""><th></th><th></th><th></th><th></th><th>DOUBLE CAB</th></t<>					DOUBLE CAB
Power Windows (Front 0.hly)''Image: Control Central LockingImage: Control Central Central LockingImage: Control Central Centr		472	4/14	474	474
Power Windows (Front & Pent Parlet)Image: Power Windows (Front Parlet)					
Remote Control Central LockingII					
Driver & Passenger Sun VisorsImage: Control of the Contr		-		-	_
Height Adjustable Steering WheelIIIITwo 12-Volt Power Outlets (Top Glove Box & Instrument Panel)II		-	-	-	-
Too 12-Volt Power Outlets (Top Glove Box & Instrument Panel)Image: Shift IndicatorGear Shift IndicatorImage: Shift IndicatorCLIMATE CONTROLCLIMATE CONTROLCLIMATE CONTROLSAFETY & SECURIYESC (Electronic Stability Control)Tailer Sway ControlA Image: Shift IndicatorSAFETY & SECURIYESC (Electronic Stability Control)Trailer Sway ControlA Image: Shift IndicatorTailer Sway ControlA Image: Shift IndicatorABS (Anti-Lock Braking System)EBD (Electronic Brakeforce Distribution)Brake Assist SystemBitl IndicatorBitl IndicatorBitl IndicatorImage: Shift Indicator (Shift IndicatorImage: Shift In		-	-	-	-
Low Fuel Warning LightImage: Second Seco		-	-	-	- 11
Current of the distanceCurrent of the distanceGear Shift IndicatorImage and the distanceCLIMATE CONTROLSAFETY & SECURITYESC (Electronic Stability Control)Image and the distanceTrailer Sway ControlImage and the distanceBBG (Electronic Stability Control)Image and the distanceTrailer Sway ControlImage and the distanceBBG (Electronic Stability Control)Image and the distanceBrake Assist SystemImage and the distanceHill Start AssistImage and the distanceHill Start AssistImage and the distanceHill Descent ControlImage and the distanceSecurity Etched GlassImage and the distanceInsurance Approved ImmobiliserImage and the distanceFront, Side & Curtain SPS Airbage ^{s2} Image and the distanceInsurance Approved ImmobiliserImage and the distanceFront, Side & Curtain SPS Airbage ^{s2} Image and the distanceIsoFIX Child Seat Anchors with Top Tether Anchors (2 x Rear Side)Image and the distanceSeatbelt Reminder Indicator (Driver & Passenger)Image and the distanceIsotro Control LicksImage and the distanceSeatbelt Reminder Indicator (Driver & Passenger)Image and th		_	-	_	
CLIMATE CONTROL CLIMATE CONTROL SAFETY A SECURITY ESC (Electronic Stability Control) - Trailer Sway Control - ABS (Anti-Lock Braking System) - ESD (Electronic Stability Control) - Brake Assist System - Brake Assist System - Brake Assist System - Hill Start Assist - Hill Descent Control - Insurance Approved Immobiliser - Front, Side & Curtain SRS Airbags*2 - Height Adjustable Front Seatbelts (Side) - So Three-Point Rear Seatbelts (Side & Centre) - So Three-Point Rear Seatbelts (Side & Centre) <td></td> <td>-</td> <td>-</td> <td>-</td> <td>-</td>		-	-	-	-
Anual Air ConditioningImage: Section of Stability Control)Image: Section of Sect	Gear Smit indicator	-			
SAFETY & SECURITY ESC (Electronic Stability Control) I <tdi< td=""> I I</tdi<>	CLIMATE CONTROL				
ESC (Electronic Stability Control)IIIITrailer Sway ControlIII <td< td=""><td>Manual Air Conditioning</td><td></td><td></td><td></td><td></td></td<>	Manual Air Conditioning				
ESC (Electronic Stability Control)IIIITrailer Sway ControlIII <td< td=""><td></td><td>_</td><td></td><td></td><td></td></td<>		_			
Trailer Sway Control -				-	
ABS (Anti-Lock Braking System) I <	-				
BD (Electronic Brishbution) Image: State Stype Sty	*	-			
Brake Assist SystemImage: SystemImage: SystemHill Start AssistImage: SystemImage: Sy	ABS (Anti-Lock Braking System)				
Hill Start Assist I	EBD (Electronic Brakeforce Distribution)				
Hill Descent ControlImage: Provide the second of the second o	Brake Assist System				
Security Etched Glass I	Hill Start Assist				
Insurance Approved ImmobiliserImage: Section of the sect	Hill Descent Control				
Front, Side & Curtain SRS Airbags*2 Image: State of the state o	Security Etched Glass				
Height Adjustable Front Seatbelts with Pretensioner & Load Limiter Image: Comparison of the state of t	Insurance Approved Immobiliser				
2 x Three-Point Rear Seatbelts (Side)	Front, Side & Curtain SRS Airbags*2				
2 x Three-Point Rear Seatbelts (Side)	Height Adjustable Front Seatbelts with Pretensioner & Load Limiter				
3 x Three-Point Rear Seatbelts (Side & Centre) - <t< td=""><td></td><td>-</td><td></td><td></td><td></td></t<>		-			
SOFIX Child Seat Anchors with Top Tether Anchors (2 x Rear Side)<				-	
Rear Door Child Locks -					-
Seatbelt Reminder Indicator (Driver & Passenger) Image: Seatbelt Reminder Indicator (Driver & Passenger) Door Open Warning Light Image: Seatbelt Reminder Indicator (Driver & Passenger) ENTERTAINMENT Bluetooth® Connectivity Image: Seatbelt Reminder Indicator (Driver & Passenger) RDS Radio Image: Seatbelt Reminder Indicator (Driver & Passenger) Two Door Mounted Speakers Image: Seatbelt Reminder Indicator (Driver & Passenger)		-	-	-	-
Door Open Warning Light ENTERTAINMENT Bluetooth® Connectivity RDS Radio Two Door Mounted Speakers		-	-	-	-
ENTERTAINMENT Bluetooth® Connectivity RDS Radio Two Door Mounted Speakers	-	_	-		-
Bluetooth® Connectivity Image: Connectivity RDS Radio Image: Connectivity Two Door Mounted Speakers Image: Connectivity	Door Open Warning Light				
RDS Radio E E E E E E E E E E E E E E E E E E E					
Two Door Mounted Speakers	Bluetooth® Connectivity				
	RDS Radio				
	Two Door Mounted Speakers				
	Front USB Port				

*1 Driver side has auto up/down function, with pinch protection and timer. *2 SRS: Supplemental Restraint System. Must be used in conjunction with seatbelts.

TECHNICAL SPECIFICATION

	SINGLE CAB 4X2	SINGLE CAB 4X4	EXT CAB 4X4	DOUBLE CAB 4X4
ENGINE				
Engine Type		R	Z4E	
Fuel Type		Die	esel	
Arrangement Cylinders		4, Ir	n line	
Firing Order		1-3	-4-2	
Bore mm		8	0.0	
Stroke mm		9	4.4	
Compression		1	5.9	
Engine Capacity cm ³		18	398	
Idle Speed		750-	+/- 25	
Fuel Tank Capacity Litres			76	
GEAR RATIOS				
1	4.942	4.942	4.942	4.942
2	2.430	2.430	2.430	2.430
3	1.428	1.428	1.428	1.428
4	1.000	1.000	1.000	1.000
5	0.749	0.749	0.749	0.749
6	0.634	0.634	0.634	0.634
Reverse	4.597	4.597	4.597	4.597
Final Drive	3.909	4.300	4.300	4.300
PERFORMANCE				
Net Power PS @ rpm		164 @	0 3600	
Torque Nm @ rpm		360 @ 20	000 - 2500	
Maximum Speed (mph)	112			
Acceleration (0-62mph) sec		1	2.7	
FUEL CONSUMPTION MPG				
Urban	38.7	37.2	37.2	37.2
Extra Urban	50.4	42.8	42.8	42.8
Combined	45.6	40.4	40.4	40.4
CO2 Emissions g/km	163	183	183	183
Emissions Class	Euro 6	Euro 6	Euro 6	Euro 6

	SINGLE CAB 4X2	SINGLE CAB 4X4	EXT CAB 4X4	DOUBLE CAB 4X4
DIMENSIONS			-77-	
Length mm	5315	5315	5295	5295
Width mm	1775	1860	1860	1860
Height mm	1685	1780	1780	1785
Front Overhang mm	905	905	905	905
Rear Overhang mm	1315	1315	1295	1295
Wheelbase mm	3095	3095	3095	3095
Track (Front & Rear) mm	1510	1570	1570	1570
Ground Clearance mm (Rear Axle)	225	225	225	225
Approach Angle (deg.)	30	30	30	30
Departure Angle (deg.)	22	22	22	22
Ramp Angle (deg.)	22	22	22	22
LOAD BED DIMENSIONS				
Length mm	2305	2305	1795	1485
Width mm	1570	1570	1530	1530
Depth mm	440	440	465	465
WEIGHTS				
Kerb Weight kg	1718	1836	1888	1909
Gross Vehicle Weight kg	3000	3050	3050	3050
Payload*3 kg	1282	1214	1162	1141
Max Front Axle kg	1250	1350	1350	1350
Max Rear Axle kg	1870	1870	1870	1870
Trailer Weight Braked kg	2500	3500	3500	3500
Trailer Weight Unbraked kg	750	750	750	750
Nose Weight kg	100	245	245	245
Gross Train Weight kg	5500	6000	6000	6000
WHEELS & TYRES				
Tyres	215/70R15C	245/70R16	245/70R16	245/70R16
Wheels	15x6.5 J	16x7 J	16x7 J	16x7 J
INSURANCE GROUPS				
Insurance Groups	39A	39A	39A	39A


*3 Maximum payload capacity as defined by HM Revenue and Customs for VAT purposes.


Payload is gross vehicle weight minus kerb weight. Kerb weights quoted are for vehicles with standard specification. Kerb weight and payload may be influenced by badge level, factory options and dealer fitted accessories. It is the responsibility of the vehicle operator to ensure their vehicle is legally compliant for road use.

DIMENSIONS & CAPACITIES


SINGLE CAB 4X2 & 4X4










EXTENDED CAB 4X4







DOUBLE CAB 4X4










All measurements in millimetres.





Max Towing

4x2	2,500kg
4x4	3,500kg

Official Wading Depth

4x2	400mm
4x4	600mm

Load Bed (Interior)

	Length	Width	Depth
Single Cab	2,305mm	1,570mm	440mm
Extended Cab	1,795mm	1,530mm	465mm
Double Cab	1,485mm	1,530mm	465mm

Turning Circle

4x2	11.8m
4x4	12.2m
-	
Tyres	
4x2	215/70R15C
4x4	245/70R16

Wheels

4x2	15x6.5 J
4x4	16x7 J

Ground Clearance (Rear Axle) 225mm

Departure Angle 22°

Approach Angle 30°

Ramp Angle 22°

Tilt Angle (excluding 4x2) 49°



isuzu.co.uk

Isuzu (UK) LTD reserve the right to change specifications and equipment without notice. Features and specification may vary in appearance and/or availability. For full details please contact your local Isuzu dealer or visit isuzu.co.uk

Safety beacons, work light, tow bar and canopy are optional extras.

